
CSCI 332: ADVANCED ALGORITHMS & DATA STRUCTURES

Instructor: Lucia Williams

After you sit down, please fold your paper hot dog style and write:

- ▶What you'd like to be called
- ▶ Your hometown
- ▶ Your pronouns
- ▶ Your major/concentration
- ▶ A fun fact about you



Introduce yourself to your neighbors!

Algorithm definition

Algorithm definition

"An algorithm is a finite, definite, effective procedure, with some input and some output."






But...





But...

"Algorithmic problems form the heart of computer science, but they rarely arrive as cleanly packaged, mathematically precise questions. Rather, they tend to come bundled together with lots of messy, application-specific detail, some of it essential, some of it extraneous."



Kleinberg & Tardos



What were the focuses of CSCI 232?

CSCI 232. Implementation and consumption of classic algorithms.

• Fundamental data structures (arrays, stacks, queues, etc.).

- Fundamental data structures (arrays, stacks, queues, etc.).
- Sorting.

- Fundamental data structures (arrays, stacks, queues, etc.).
- Sorting.
- Searching.

- Fundamental data structures (arrays, stacks, queues, etc.).
- Sorting.
- Searching.
- Graph algorithms.

- Fundamental data structures (arrays, stacks, queues, etc.).
- Sorting.
- Searching.
- Graph algorithms.
- String processing.

CSCI 232. Implementation and consumption of classic algorithms.

- Fundamental data structures (arrays, stacks, queues, etc.).
- Sorting.
- · Searching.
- Graph algorithms.
- String processing.
- Compression.

```
private static void sort(double[] a, int lo, int hi) {
   if (hi <= lo) return;
   int lt = lo, gt = hi;
   int i = lo;
   while (i <= gt) {
      if (a[i] < a[lo]) swap(a, lt++, i++);
      else if (a[i] > a[lo]) swap(a, i, gt--);
      else i++;
   }
   sort(a, lo, lt - 1);
   sort(a, gt + 1, hi);
}
```

Emphasizes critical thinking, problem-solving, and code.

CSCI 332. Design and analysis of algorithms.

• Finding computational problems in the real world.

- Finding computational problems in the real world.
- Greed.

- Finding computational problems in the real world.
- Greed.
- Divide-and-conquer.

- Finding computational problems in the real world.
- Greed.
- Divide-and-conquer.
- Dynamic programming.

- Finding computational problems in the real world.
- Greed.
- Divide-and-conquer.
- Dynamic programming.
- Duality.

- Finding computational problems in the real world.
- Greed.
- Divide-and-conquer.
- Dynamic programming.
- Duality.
- Data structures.

- Finding computational problems in the real world.
- Greed.
- Divide-and-conquer.
- Dynamic programming.
- Duality.
- Data structures.
- Intractability.

CSCI 332. Design and analysis of algorithms.

- Finding computational problems in the real world.
- Greed.
- Divide-and-conquer.
- Dynamic programming.
- Duality.
- Data structures.
- Intractability.

$$\sum_{i=1}^{n} \sum_{j=i+1}^{n} \frac{2}{j-i-1} = 2 \sum_{i=1}^{n} \sum_{j=2}^{n-i+1} \frac{1}{j}$$

$$\leq 2n \sum_{j=1}^{n} \frac{1}{j}$$

$$\sim 2n \int_{x=1}^{n} \frac{1}{x} dx$$

$$= 2n \ln n$$

Emphasizes critical thinking, problem-solving, and both open-ended problems and rigorous analysis.

"Algorithms are the life-blood of computer science...

the common denominator that underlies and unifies the

different branches." — Donald Knuth



Internet. Web search, packet routing, distributed file sharing, ...

Biology. Human genome project, protein folding, ...

Computers. Circuit layout, databases, caching, networking, compilers, ...

Computer graphics. Movies, video games, virtual reality, ...

Security. Cell phones, e-commerce, voting machines, ...


Multimedia. MP3, JPG, DivX, HDTV, face recognition, ...

Social networks. Recommendations, news feeds, advertisements, ...


Physics. Particle collision simulation, *n*-body simulation, ...

•














Internet. Web search, packet routing, distributed file sharing, ...

Biology. Human genome project, protein folding, ...

Computers. Circuit layout, databases, caching, networking, compilers, ...

Computer graphics. Movies, video games, virtual reality, ...

Security. Cell phones, e-commerce, voting machines, ...


Multimedia. MP3, JPG, DivX, HDTV, face recognition, ...

Social networks. Recommendations, news feeds, advertisements, ...


Physics. Particle collision simulation, *n*-body simulation, ...

•














Internet. Web search, packet routing, distributed file sharing, ...

Biology. Human genome project, protein folding, ...

Computers. Circuit layout, databases, caching, networking, compilers, ...

Computer graphics. Movies, video games, virtual reality, ...

Security. Cell phones, e-commerce, voting machines, ...


Multimedia. MP3, JPG, DivX, HDTV, face recognition, ...

Social networks. Recommendations, news feeds, advertisements, ...


Physics. Particle collision simulation, *n*-body simulation, ...

:














We emphasize algorithms and techniques that are useful in practice.

Course logistics

In table groups, try to complete the syllabus quiz. Some of the questions are openended and may not have one single answer!

If your group comes up with a question you can't answer (not necessarily one on the quiz), post it in #questions in Discord.





How to match? What should we think about when designing an algorithm for this problem?

Given:

* a set of preferences among hospitals and med-school students

	favorite ↓		least favorite
	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	favorite ↓		east favorite
	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

hospitals' preference lists

students' preference lists

^{*} a matching of hospitals to students

Given:

* a set of preferences among hospitals and med-school students

	favorite ↓	least favorite	
	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	favorite ↓	least favorite	
	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

hospitals' preference lists

students' preference lists

With your table group, give at least two *measurable* criterion for a "good" matching.

^{*} a matching of hospitals to students

A common criterion: minimum total score

Given:

* a set of preferences among hospitals and med-school students



	favorite least favorite		least favorite
	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

hospitals' preference lists

students' preference lists

* a matching of hospitals to students

The score is the sum of the ranks for every pair. Smaller scores are better.

Worksheet

You have 15 minutes. Ask for help if needed.

For *n* hospitals/students, how many unique matchings?

Algorithm to finding matching with best score?

Runtime?

Goal. Given a set of preferences among hospitals and med-school students, design a self-reinforcing admissions process.





Goal. Given a set of preferences among hospitals and med-school students, design a self-reinforcing admissions process.

Unstable pair. Hospital *h* and student *s* form an unstable pair if both:

- *h* prefers *s* to one of its admitted students.
- *s* prefers *h* to assigned hospital.





Goal. Given a set of preferences among hospitals and med-school students, design a self-reinforcing admissions process.

Unstable pair. Hospital *h* and student *s* form an unstable pair if both:

- h prefers s to one of its admitted students.
- s prefers h to assigned hospital.

Stable assignment. Assignment with no unstable pairs.

Individual self-interest prevents any hospital—student side deal.





Stable matching problem: input

Input. A set of n hospitals H and a set of n students S.

one student per hospital (for now)

Stable matching problem: input

Input. A set of n hospitals H and a set of n students S.

• Each hospital $h \in H$ ranks students.



	favorite ↓		least favorite
	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

hospitals' preference lists

Stable matching problem: input

Input. A set of n hospitals H and a set of n students S.

- Each hospital $h \in H$ ranks students.
- Each student $s \in S$ ranks hospitals.

one student per hospital (for now)





hospitals' preference lists

students' preference lists

Stable matching problem: output

Def. A set $M \subseteq H \times S$ is a matching if and only if:

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

a perfect matching $M = \{ A-Z, B-Y, C-X \}$

Stable matching problem: output

Def. A set $M \subseteq H \times S$ is a matching if and only if:

- Each hospital $h \in H$ appears in at most one pair of M.
- Each student $s \in S$ appears in at most one pair of M.

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

a perfect matching M = { A-Z, B-Y, C-X }

Stable matching problem: output

Def. A set $M \subseteq H \times S$ is a matching if and only if:

- Each hospital $h \in H$ appears in at most one pair of M.
- Each student $s \in S$ appears in at most one pair of M.

Def. A matching M is perfect if |M| = |H| = |S| = n.

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

a perfect matching $M = \{ A-Z, B-Y, C-X \}$

Unstable pair

Def. Given a perfect matching M, hospital h and student s form an unstable pair if both:

- *h* prefers *s* to matched student.
- *s* prefers *h* to matched hospital.

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

Unstable pair

Def. Given a perfect matching M, hospital h and student s form an unstable pair if both:

- *h* prefers *s* to matched student.
- *s* prefers *h* to matched hospital.

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

A-Y is an unstable pair for matching $M = \{A-Z, B-Y, C-X\}$

Unstable pair

Def. Given a perfect matching M, hospital h and student s form an unstable pair if both:

- *h* prefers *s* to matched student.
- *s* prefers *h* to matched hospital.

Key point. An unstable pair h–s could each improve by joint action.

	1 st	2 nd	3 rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

A-Y is an unstable pair for matching $M = \{A-Z, B-Y, C-X\}$

On your own, think about...

Which pair is unstable in the matching { A-X, B-Z, C-Y }?

- 1. A-Y.
- 2. B-X.
- 3. B–Z.
- 4. None of the above.

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

On your own, think about...

Which pair is unstable in the matching { A-X, B-Z, C-Y }?

- 1. A-Y.
- 2. B-X.
- 3. B–Z.
- 4. None of the above.

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

B-X is an unstable pair

Stable matching problem

Def. A stable matching is a perfect matching with no unstable pairs.

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

a stable matching $M = \{ A-X, B-Y, C-Z \}$

Stable matching problem

Def. A stable matching is a perfect matching with no unstable pairs.

Stable matching problem. Given the preference lists of n hospitals and n students, find a stable matching (if one exists).

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

a stable matching $M = \{ A-X, B-Y, C-Z \}$

Stable matching problem

Def. A stable matching is a perfect matching with no unstable pairs.

Stable matching problem. Given the preference lists of *n* hospitals and *n* students, find a stable matching (if one exists).

	1 st	2 nd	3rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

a stable matching $M = \{ A-X, B-Y, C-Z \}$

Do you see any potential issues with using Stable Matching to solve the med student to hospital matching problem?

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 st	2 nd	3rd
А	В	С	D
В	С	Α	D
С	Α	В	D
D	Α	В	С

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 st	2 nd	3rd
A	В	С	D
В	С	Α	D
С	Α	В	D
D	Α	В	С

$$A$$
– C , B – D

$$A$$
– D , B – C

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 st	2 nd	3rd
Α	В	С	D
В	С	Α	D
С	Α	В	D
D	Α	В	С

$$A-B$$
, $C-D \Rightarrow B-C$ unstable $A-C$, $B-D \Rightarrow A-B$ unstable $A-D$, $B-C \Rightarrow A-C$ unstable

Observation. Stable matchings need not exist.

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 st	2 nd	3rd
А	В	С	D
В	С	Α	D
С	Α	В	D
D	Α	В	С

$$A-B$$
, $C-D \Rightarrow B-C$ unstable $A-C$, $B-D \Rightarrow A-B$ unstable

A-D, $B-C \Rightarrow A-C$ unstable

Observation. Stable matchings need not exist.

What about for our version of stable matching?

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 st	2 nd	3rd
А	В	С	D
В	С	Α	D
С	Α	В	D
D	Α	В	С

$$A$$
– B , C – $D \Rightarrow B$ – C unstable

$$A-C$$
, $B-D \Rightarrow A-B$ unstable

$$A$$
– D , B – $C \Rightarrow A$ – C unstable

Observation. Stable matchings need not exist.

What about for our version of stable matching?

5 minute break 27

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 st	2 nd	3rd
Α	В	С	D
В	С	Α	D
С	Α	В	D
D	Α	В	С

$$A$$
– B , C – $D \Rightarrow B$ – C unstable

$$A-C$$
, $B-D \Rightarrow A-B$ unstable

$$A$$
– D , B – $C \Rightarrow A$ – C unstable

Observation. Stable matchings need not exist.

What about for our version of stable matching?

Let's vote 28

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 st	2 nd	3rd
A	В	С	D
В	С	Α	D
С	Α	В	D
D	А	В	С

$$A$$
– B , C – $D \Rightarrow B$ – C unstable

$$A-C$$
, $B-D \Rightarrow A-B$ unstable

$$A$$
– D , B – $C \Rightarrow A$ – C unstable

Observation. Stable matchings need not exist.

What about for our version of stable matching?

5 minute break

Gale-Shapley deferred acceptance algorithm

An intuitive method that guarantees to find a stable matching.



```
GALE—SHAPLEY (preference lists for hospitals and students)
INITIALIZE M to empty matching.
WHILE (some hospital h is unmatched and hasn't proposed to every student)
  s \leftarrow first student on h's list to whom h has not yet proposed.
  IF (s is unmatched)
     Add h–s to matching M.
  ELSE IF (s prefers h to current partner h')
     Replace h'–s with h–s in matching M.
  ELSE
     s rejects h.
RETURN stable matching M.
```

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

We enter the while loop. How many valid first steps are there?

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Atlanta proposes to ????

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Atlanta proposes to Wayne

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Atlanta proposes to Wayne

Wayne accepts
(since previously unmatched)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Yolanda

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Yolanda

Yolanda accepts
(since previously unmatched)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Chicago proposes to Wayne

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

What happens?

Chicago proposes to Wayne

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Chicago proposes to Wayne
Wayne accepts
(and renounces Atlanta)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Atlanta proposes to Val

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Atlanta proposes to Val

Val accepts
(since previously unmatched)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Val

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Val

Val rejects
(since she prefers Atlanta)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Yolanda

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Yolanda Yolanda accepts

(and renounces Boston)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Wayne

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Wayne

Wayne rejects
(since he prefers Chicago)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Val

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Val

Val rejects
(since she prefers Atlanta)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Xavier

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Boston proposes to Xavier

Xavier accepts
(since previously unmatched)

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

El Paso proposes to Wayne

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

El Paso proposes to Wayne

Wayne rejects
(since he prefers Chicago)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

El Paso proposes to Yolanda

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

El Paso proposes to Yolanda

Yolanda accepts
(and renounces Detroit)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Xavier

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Xavier

Xavier rejects (since he prefers Boston)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Wayne

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Wayne Wayne rejects

(since he prefers Chicago)

hospitals' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Zeus

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

Detroit proposes to Zeus

Zeus accepts
(since previously unmatched)

hospitals' preference lists

	1 st	2 nd	3rd	4 th	5 th
Atlanta	Wayne	Val	Yolanda	Zeus	Xavier
Boston	Yolanda	Wayne	Val	Xavier	Zeus
Chicago	Wayne	Zeus	Xavier	Yolanda	Val
Detroit	Val	Yolanda	Xavier	Wayne	Zeus
El Paso	Wayne	Yolanda	Val	Zeus	Xavier

students' preference lists

	1 st	2 nd	3 rd	4 th	5 th
Val	El Paso	Atlanta	Boston	Detroit	Chicago
Wayne	Chicago	Boston	Detroit	Atlanta	El Paso
Xavier	Boston	Chicago	Detroit	El Paso	Atlanta
Yolanda	Atlanta	El Paso	Detroit	Chicago	Boston
Zeus	Detroit	Boston	El Paso	Chicago	Atlanta

STOP (stable matching)

Can Gale-Shapley ever result in an infinite loop?

1. Yes

2. No

What is the worst-case runtime of Gale-Shapley on an input of size n?

- 1. log *n*
- **2**. *n*
- 3. n^2
- 4. *n*!

Observation 1. Hospitals propose to students in decreasing order of preference.

Observation 1. Hospitals propose to students in decreasing order of preference.

Observation 2. Once a student is matched, the student never becomes unmatched; only "trades up."

Observation 1. Hospitals propose to students in decreasing order of preference.

Observation 2. Once a student is matched, the student never becomes unmatched; only "trades up."

Claim. Algorithm terminates after at most n^2 iterations of WHILE loop.

Observation 1. Hospitals propose to students in decreasing order of preference.

Observation 2. Once a student is matched, the student never becomes unmatched; only "trades up."

Claim. Algorithm terminates after at most n^2 iterations of WHILE loop.

Pf. Each time through the WHILE loop, a hospital proposes to a new student. Thus, there are at most n^2 possible proposals. \blacksquare

Observation 1. Hospitals propose to students in decreasing order of preference.

Observation 2. Once a student is matched, the student never becomes unmatched; only "trades up."

Claim. Algorithm terminates after at most n^2 iterations of WHILE loop.

Pf. Each time through the WHILE loop, a hospital proposes to a new student. Thus, there are at most n^2 possible proposals. \blacksquare

	1 st	2 nd	3rd	4 th	5 th
А	V	W	X	Υ	Z
В	W	X	Υ	V	Z
С	X	Υ	V	W	Z
D	Y	V	W	Х	Z
E	V	W	X	Υ	Z

	1 st	2 nd	3rd	4 th	5 th
V	В	С	D	Е	Α
W	С	D	Е	Α	В
Х	D	Е	Α	В	С
Υ	Е	Α	В	С	D
Z	А	В	С	D	Е

n(n-1) + 1 proposals

Does any hospital end up with more than one student?

1. Yes

2. No

Claim. Gale-Shapley outputs a matching.

Claim. Gale–Shapley outputs a matching. Pf.

Claim. Gale–Shapley outputs a matching. Pf.

• Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student

Claim. Gale–Shapley outputs a matching. Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. Gale-Shapley outputs a matching. Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital. ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Claim. Gale–Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

• Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

- Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.
- Then some student, say $s \in S$, is unmatched upon termination.

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

- Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.
- Then some student, say $s \in S$, is unmatched upon termination.
- By Observation 2, s was never proposed to.

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital. ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

- Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.
- Then some student, say $s \in S$, is unmatched upon termination.
- By Observation 2, s was never proposed to.
- But, h proposes to every student, since h ends up unmatched. *

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

- Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.
- Then some student, say $s \in S$, is unmatched upon termination.
- By Observation 2, s was never proposed to.
- But, h proposes to every student, since h ends up unmatched. *

Claim. In Gale-Shapley matching, all students get matched.

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

- Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.
- Then some student, say $s \in S$, is unmatched upon termination.
- By Observation 2, s was never proposed to.
- But, h proposes to every student, since h ends up unmatched. *

Claim. In Gale-Shapley matching, all students get matched.

Pf. [by counting]

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

- Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.
- Then some student, say $s \in S$, is unmatched upon termination.
- By Observation 2, s was never proposed to.
- But, h proposes to every student, since h ends up unmatched. *

Claim. In Gale-Shapley matching, all students get matched.

Pf. [by counting]

• By previous claim, all n hospitals get matched.

Claim. Gale-Shapley outputs a matching.

Pf.

- Hospital proposes only if unmatched. \Rightarrow matched to \leq 1 student
- Student keeps only best hospital.
 ⇒ matched to ≤ 1 hospital

Claim. In Gale-Shapley matching, all hospitals get matched.

Pf. [by contradiction]

- Suppose, for sake of contradiction, that some hospital $h \in H$ is unmatched upon termination of Gale–Shapley algorithm.
- Then some student, say $s \in S$, is unmatched upon termination.
- By Observation 2, s was never proposed to.
- But, h proposes to every student, since h ends up unmatched. *

Claim. In Gale-Shapley matching, all students get matched.

Pf. [by counting]

- By previous claim, all n hospitals get matched.
- Thus, all *n* students get matched. ■

Claim. Gale-Shapley outputs a matching.

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h–s that is not in M*.

$$h-s'$$
 $h'-s$
 \vdots

Gale-Shapley matching M*

Claim. In Gale–Shapley matching M^* , there are no unstable pairs. Pf. Consider any pair h–s that is not in M^* .

Case 1: h never proposed to s.

$$h-s'$$
 $h'-s$
 \vdots

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h–s that is not in M*.

- Case 1: h never proposed to s.
 - \Rightarrow h prefers its Gale–Shapley partner s' to s.

$$h-s'$$
 $h'-s$
 \vdots

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h–s that is not in M*.

- Case 1: h never proposed to s.
 - \Rightarrow h prefers its Gale–Shapley partner s' to s.
 - \Rightarrow *h*–*s* is not unstable.

$$h-s'$$
 $h'-s$
 \vdots

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h-s that is not in M*.

- Case 1: h never proposed to s.
 - \Rightarrow h prefers its Gale–Shapley partner s' to s.
 - $\Rightarrow h-s$ is not unstable.

hospitals propose in decreasing order of preference

Case 2: h proposed to s.

h-s' h'-s \vdots

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h–s that is not in M*.

- Case 1: h never proposed to s.
 - \Rightarrow h prefers its Gale–Shapley partner s' to s.
 - \Rightarrow *h*-*s* is not unstable.

hospitals propose in decreasing order of preference

- Case 2: h proposed to s.
 - \Rightarrow s rejected h (either right away or later)

$$h-s'$$
 $h'-s$
 \vdots

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h–s that is not in M*.

- Case 1: h never proposed to s.
 - \Rightarrow h prefers its Gale–Shapley partner s' to s.
 - \Rightarrow *h*-*s* is not unstable.

hospitals propose in decreasing order of preference

- Case 2: h proposed to s.
 - \Rightarrow s rejected h (either right away or later)
 - \Rightarrow s prefers Gale–Shapley partner h' to h.

students only trade up

$$h - s'$$
 $h' - s$
 \vdots

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h–s that is not in M*.

- Case 1: h never proposed to s.
 - \Rightarrow h prefers its Gale–Shapley partner s' to s.
 - \Rightarrow *h*-*s* is not unstable.

hospitals propose in decreasing order of preference

- Case 2: h proposed to s.
 - \Rightarrow s rejected h (either right away or later)
 - \Rightarrow s prefers Gale–Shapley partner h' to h.
 - $\Rightarrow h-s$ is not unstable.

students only trade up

$$h - s'$$
 $h' - s$
 \vdots

Claim. In Gale–Shapley matching M^* , there are no unstable pairs.

Pf. Consider any pair h–s that is not in M*.


- Case 1: h never proposed to s.
 - \Rightarrow h prefers its Gale–Shapley partner s' to s.
 - $\Rightarrow h$ -s is not unstable.

hospitals propose in decreasing order of preference

- Case 2: h proposed to s.
 - \Rightarrow s rejected h (either right away or later)
 - \Rightarrow s prefers Gale–Shapley partner h' to h.
 - \Rightarrow *h*-*s* is not unstable.

students only trade up

• In either case, the pair h-s is not unstable. •



Using rigorous reasoning, proved useful properties about a real-world problem.

Using rigorous reasoning, proved useful properties about a real-world problem.

Using rigorous reasoning, proved useful properties about a real-world problem.

Using rigorous reasoning, proved useful properties about a real-world problem.

Gale-Shapley:

Always terminates

Using rigorous reasoning, proved useful properties about a real-world problem.

- Always terminates
- Always returns a perfect matching (contradiction)

Using rigorous reasoning, proved useful properties about a real-world problem.

- Always terminates
- Always returns a perfect matching (contradiction)
- Always returns a stable matching (cases)

Using rigorous reasoning, proved useful properties about a real-world problem.

- Always terminates
- Always returns a perfect matching (contradiction)
- Always returns a stable matching (cases)
- Always returns a hospital-optimal matching (contradiction)

Using rigorous reasoning, proved useful properties about a real-world problem.

- Always terminates
- Always returns a perfect matching (contradiction)
- Always returns a stable matching (cases)
- Always returns a hospital-optimal matching (contradiction)
- Always returns a worst-valid-student matching (contradiction)

Using rigorous reasoning, proved useful properties about a real-world problem.

- Always terminates
- Always returns a perfect matching (contradiction)
- Always returns a stable matching (cases)
- Always returns a hospital-optimal matching (contradiction)
- Always returns a worst-valid-student matching (contradiction)

Using rigorous reasoning, proved useful properties about a real-world problem.

- Always terminates
- Always returns a perfect matching (contradiction)
- Always returns a stable matching (cases)
- Always returns a hospital-optimal matching (contradiction)
- Always returns a worst-valid-student matching (contradiction)

Using rigorous reasoning, proved useful properties about a real-world problem.

Gale-Shapley:

- Always terminates
- Always returns a perfect matching (contradiction)
- Always returns a stable matching (cases)
- Always returns a hospital-optimal matching (contradiction)
- Always returns a worst-valid-student matching (contradiction)

Why did we focus on stable matching instead of minimum score matching?

Using rigorous reasoning, proved useful properties about a real-world problem.

Gale-Shapley:

- Always terminates
- Always returns a perfect matching (contradiction)
- Always returns a stable matching (cases)
- Always returns a hospital-optimal matching (contradiction)
- Always returns a worst-valid-student matching (contradiction)

Why did we focus on stable matching instead of minimum score matching?