

CSCI 432/532, Spring 2024

Homework 1

Due Monday, January 22, 2024 at 9pm Mountain Time

Submission Requirements

- Type or clearly hand-write your solutions into a PDF format so that they are legible and professional. Submit your PDF to the appropriate Moodle dropbox.
- Do not submit your first draft. Type or clearly re-write your solutions for your final submission.
- You may work with a group of up to three students and submit *one single document* for the group. Just be sure to list all group members at the top of the document.
- Each homework will include at least one fully solved problem, similar to that week's assigned problems, together with the rubric we would use to grade this problem if it appeared in an actual homework or exam. These model solutions show our recommendations for structure, presentation, and level of detail in your homework solutions. (Obviously, the actual *content* of your solutions won't match the model solutions, because your problems are different!)

Academic Integrity

Remember, you may access *any* resource in preparing your solution to the homework. However, you must

- write your solutions in your own words, and
- credit every resource you use (for example: "Bob Smith helped me on problem 2. He took this course at UM in Fall 2020"; "I found a solution to a problem similar to this one in the lecture notes for a different course, found at this link: www.profzeno.com/agreatclass/lecture10"; "I asked ChatGPT how to solve problem 1 part (c); "I put my solution for problem 1 part (c) into ChatGPT to check that it was correct and it caught a missing case and suggested some grammar fixes.") If you use the provided LaTeX template, you can use the `sources` environment for this. Ask if you need help!

Grading Rubrics

For the recursive function definition:

Definition rubric. 2 points =

+ 1 For all correct base cases

+ 1 For all correct recursive cases.

No credit for the rest of the problem unless this part is correct.

For each induction proof (there are two on this homework):

Induction rubric. 10 points =

- + 1 for explicitly considering an arbitrary object
- + 2 for an explicit valid induction hypothesis
 - Yes, you need to write it down. Yes, even if it's "obvious". Remember that the goal of the homework is to communicate with people who aren't as clever as you.
- + 2 for explicit exhaustive case analysis
 - No credit here if the case analysis omits an infinite number of objects. (For example: all oddlength palindromes.)
 - –1 if the case analysis omits a finite number of objects. (For example: the empty string.)
 - –1 for making the reader infer the case conditions. Spell them out!
 - No penalty if the cases overlap (for example: even length at least 2, odd length at least 3, and length at most 5.)
- + 1 for proof of cases that do not invoke the inductive hypothesis ("base cases")
 - No credit here if one or more "base cases" are missing.
- + 2 for correctly applying the stated inductive hypothesis
 - No credit here for applying a different inductive hypothesis, even if that different inductive hypothesis would be valid.
- + 2 for other details in cases that invoke the inductive hypothesis ("inductive cases")
 - No credit here if one or more "inductive cases" are missing

1. Given a string w and a symbol a , let $delete(a, w)$ be the string w with all instances of a removed. For example, $delete(z, jazzy)$ is jay and $delete(1, 00101110)$ is 0000 .
- (a) Write a recursive function that computes $delete(a, w)$.
 - (b) For strings x and y and symbol a , prove that $delete(a, x \cdot y) = delete(a, x) \cdot delete(a, y)$.
 - (c) Recall the function $\#(a, w)$ from problem session 1, which returns the number of occurrences of the symbol a in string w . For string $w \in \{0, 1\}^*$, prove that $|delete(1, w)| = \#(0, w)$.

Solved Problems

2. For any string $w \in \{0, 1\}^*$, let $\text{swap}(w)$ denote the string obtained from w by swapping the first and second symbols, the third and fourth symbols, and so on. For example:

$$\text{swap}(10110001101) = 01110010011.$$

The swap function can be formally defined as follows:

$$\text{swap}(w) := \begin{cases} \varepsilon & \text{if } w = \varepsilon \\ w & \text{if } w = 0 \text{ or } w = 1 \\ ba \cdot \text{swap}(x) & \text{if } w = abx \text{ for some } a, b \in \{0, 1\} \text{ and } x \in \{0, 1\}^* \end{cases}$$

- (a) Prove that $|\text{swap}(w)| = |w|$ for every string w .

Solution: Let w be an arbitrary string.

Assume $|\text{swap}(x)| = |x|$ for every string x that is shorter than w .

There are three cases to consider (mirroring the definition of swap):

- If $w = \varepsilon$, then

$$\begin{aligned} |\text{swap}(w)| &= |\text{swap}(\varepsilon)| && \text{because } w = \varepsilon \\ &= |\varepsilon| && \text{by definition of } \text{swap} \\ &= |w| && \text{because } w = \varepsilon \end{aligned}$$

- If $w = 0$ or $w = 1$, then

$$|\text{swap}(w)| = |w| \quad \text{by definition of } \text{swap}$$

- Finally, if $w = abx$ for some $a, b \in \{0, 1\}$ and $x \in \{0, 1\}^*$, then

$$\begin{aligned} |\text{swap}(w)| &= |\text{swap}(abx)| && \text{because } w = abx \\ &= |ba \cdot \text{swap}(x)| && \text{by definition of } \text{swap} \\ &= |ba| + |\text{swap}(x)| && \text{because } |y \cdot z| = |y| + |z| \\ &= |ba| + |x| && \text{by the induction hypothesis} \\ &= 2 + |x| && \text{by definition of } |\cdot| \\ &= |ab| + |x| && \text{by definition of } |\cdot| \\ &= |ab \cdot x| && \text{because } |y \cdot z| = |y| + |z| \\ &= |abx| && \text{by definition of } \cdot \\ &= |w| && \text{because } w = abx \end{aligned}$$

In all cases, we conclude that $|\text{swap}(w)| = |w|$. ■

Rubric: 5 points: Standard induction rubric (scaled). This is more detail than necessary for full credit.

(b) Prove that $\text{swap}(\text{swap}(w)) = w$ for every string w .

Solution: Let w be an arbitrary string.

Assume $\text{swap}(\text{swap}(x)) = x$ for every string x that is shorter than w .

There are three cases to consider (mirroring the definition of swap):

- If $w = \varepsilon$, then

$$\begin{aligned} \text{swap}(\text{swap}(w)) &= \text{swap}(\text{swap}(\varepsilon)) && \text{because } w = \varepsilon \\ &= \text{swap}(\varepsilon) && \text{by definition of } \text{swap} \\ &= \varepsilon && \text{by definition of } \text{swap} \\ &= w && \text{because } w = \varepsilon \end{aligned}$$

- If $w = 0$ or $w = 1$, then

$$\begin{aligned} \text{swap}(\text{swap}(w)) &= \text{swap}(w) && \text{by definition of } \text{swap} \\ &= w && \text{by definition of } \text{swap} \end{aligned}$$

- Finally, if $w = abx$ for some $a, b \in \{0, 1\}$ and $x \in \{0, 1\}^*$, then

$$\begin{aligned} \text{swap}(\text{swap}(w)) &= \text{swap}(\text{swap}(abx)) && \text{because } w = abx \\ &= \text{swap}(ba \cdot \text{swap}(x)) && \text{by definition of } \text{swap} \\ &= \text{swap}(ba \cdot z) && \text{where } z = \text{swap}(x) \\ &= \text{swap}(baz) && \text{by definition of } \cdot \\ &= ab \cdot \text{swap}(z) && \text{by definition of } \text{swap} \\ &= ab \cdot \text{swap}(\text{swap}(x)) && \text{because } z = \text{swap}(x) \\ &= ab \cdot x && \text{by the induction hypothesis} \\ &= abx && \text{by definition of } \cdot \\ &= w && \text{because } w = abx \end{aligned}$$

In all cases, we conclude that $\text{swap}(\text{swap}(w)) = w$. ■

Rubric: 5 points: Standard induction rubric (scaled). This is more detail than necessary for full credit.

3. The *reversal* w^R of a string w is defined recursively as follows:

$$w^R := \begin{cases} \varepsilon & \text{if } w = \varepsilon \\ x^R \cdot a & \text{if } w = a \cdot x \end{cases}$$

A *palindrome* is any string that is equal to its reversal, like **AMANAPLANACANALPANAMA**, **RACECAR**, **POOP**, **I**, and the empty string.

(a) Give a recursive definition of a palindrome over the alphabet Σ .

Solution: A string $w \in \Sigma^*$ is a palindrome if and only if either

- $w = \varepsilon$, or
- $w = a$ for some symbol $a \in \Sigma$, or
- $w = axa$ for some symbol $a \in \Sigma$ and some *palindrome* $x \in \Sigma^*$.

■

Rubric: 2 points = + 1 for base cases and + 1 for the recursive case. No credit for the rest of the problem unless this part is correct.

(b) Prove $w = w^R$ for every palindrome w (according to your recursive definition).

You may assume the following facts about all strings x , y , and z :

- Reversal reversal: $(x^R)^R = x$
- Concatenation reversal: $(x \cdot y)^R = y^R \cdot x^R$
- Right cancellation: If $x \cdot z = y \cdot z$, then $x = y$.

Solution: Let w be an arbitrary palindrome.

Assume that $x = x^R$ for every palindrome x such that $|x| < |w|$.

There are three cases to consider (mirroring the definition of “palindrome”):

- If $w = \varepsilon$, then $w^R = \varepsilon$ by definition, so $w = w^R$.
- If $w = a$ for some symbol $a \in \Sigma$, then $w^R = a$ by definition, so $w = w^R$.
- Finally, if $w = axa$ for some symbol $a \in \Sigma$ and some palindrome $x \in P$, then

$$\begin{aligned} w^R &= (a \cdot x \cdot a)^R && \text{because } w = axa \\ &= (x \cdot a)^R \cdot a && \text{by definition of reversal} \\ &= a^R \cdot x^R \cdot a && \text{by concatenation reversal} \\ &= a \cdot x^R \cdot a && \text{by definition of reversal} \\ &= a \cdot x \cdot a && \text{by the inductive hypothesis} \\ &= w && \text{because } w = axa \end{aligned}$$

In all three cases, we conclude that $w = w^R$.

■

Rubric: 4 points: standard induction rubric (scaled)

- (c) Prove that every string w such that $w = w^R$ is a palindrome (according to your recursive definition).

Again, you may assume the following facts about all strings x , y , and z :

- Reversal reversal: $(x^R)^R = x$
- Concatenation reversal: $(x \cdot y)^R = y^R \cdot x^R$
- Right cancellation: If $x \cdot z = y \cdot z$, then $x = y$.

Solution: Let w be an arbitrary string such that $w = w^R$.

Assume that every string x such that $|x| < |w|$ and $x = x^R$ is a palindrome.

There are three cases to consider (mirroring the definition of “palindrome”):

- If $w = \varepsilon$, then w is a palindrome by definition.
- If $w = a$ for some symbol $a \in \Sigma$, then w is a palindrome by definition.
- Otherwise, we have $w = ax$ for some symbol a and some *non-empty* string x .

The definition of reversal implies that $w^R = (ax)^R = x^R a$.

Because x is non-empty, its reversal x^R is also non-empty.

Thus, $x^R = by$ for some symbol b and some string y .

It follows that $w^R = bya$, and therefore $w = (w^R)^R = (bya)^R = ay^R b$.

⟨⟨At this point, we need to prove that $a = b$ and that y is a palindrome.⟩⟩

Our assumption that $w = w^R$ implies that $bya = ay^R b$.

The recursive definition of string equality immediately implies $a = b$.

Because $a = b$, we have $w = ay^R a$ and $w^R = aya$.

The recursive definition of string equality implies $y^R a = ya$.

Right cancellation implies $y^R = y$.

The inductive hypothesis now implies that y is a palindrome.

We conclude that w is a palindrome by definition.

In all three cases, we conclude that w is a palindrome. ■

Rubric: 4 points: standard induction rubric (scaled).